

REPLACEMENT INBOARD STARTERS



Tech Tip

Rust, Corrosion or Submersions are

NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

30433 (NEW)

VALUE PRICED!

STANDARD DUTY

Direct O.E.M. replacement
Gear-reduction starter.

FITS: ALL GM ENGINES

with 14" flywheel using a
staggered bolt pattern.

Recommended for late model 3.0 Liter
with 14" flywheel using tail bracket.



Can also be used in place of 10MT with two long bolt staggered
pattern or 30470!

*Mounting bolt kit MBK450 required if replacing 10MT.

SW463 Replacement Solenoid

30456 (NEW)

HIGH-PERFORMANCE

**FITS: MERCUISER, CRUSADER, MARINE POWER,
PLEASURECRAFT, AND OTHERS.**

14MT, CW Rotation



30457 (NEW)

HIGH-PERFORMANCE

**FITS: MERCUISER,
CRUSADER, MARINE POWER,
PLEASURECRAFT, AND OTHERS.**

14MT, CCW Rotation



Replaces this 10 MT style starter

DV456

CW Rotation Replacement Drive

Fits: Delco 14 MT, ARCO 30456 starter



DV457

CCW Rotation Replacement Drive

Replaces: Mercury 850402

Fits: Delco 14 MT, ARCO 30457 starter



SW456

14 MT Replacement Solenoid

4 Post, 3-Bolt Mount



30459 (NEW)

HIGH-PERFORMANCE

**FITS: MERCUISER,
CRUSADER,
MARINE POWER,
AND OTHERS.**

Light weight and compact;

**Permanent magnet, Gear-reduction.
CCW Rotation**



SW463 Replacement Solenoid

30460 (NEW)

HIGH-PERFORMANCE

Permanent magnet
Gear-reduction starter

**FITS: MERCUISER,
COBRA, YAMAHA,
VOLVO PENTA**

CW Rotation

12 3/4" flywheel



INCLUDES
MOUNTING
BOLTS & GASKET



Replaces this
10 MT style
starter

**30460 Will Replace all CW Rotating 10MT Starters with
One Long and One Short Bolt Straight Across Pattern.**

SW450

Replacement solenoid

For ARCO 30460 & 30470 only!





REPLACEMENT INBOARD STARTERS

Tech Tip

Rust, Corrosion or Submersions are

NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

30462 (NEW)

FITS: 6.0L GM ENGINES

Permanent magnet Gear-reduction starter with two long bolt slight offset bolt pattern



SW463 Replacement Solenoid

50109

HEAVY-DUTY FITS: CHRYSLER

318 Marine V8 Two-bolt mount, 1 threaded hole 12 Volt, **CW rotation**



50110

12 Volt, **CCW Rotation**

30470 (NEW)

HIGH-PERFORMANCE Permanent magnet Gear-reduction starter

FITS: VOLVO PENTA, MERCUISER, MARINE POWER, ETC. Two long bolt staggered pattern 14" flywheel, **CW Rotation** Will also replace 9-tooth OEM version.



30470 Will Replace all CW Rotating 10MT Starters with Two Long Bolt Staggered Pattern. DOES NOT INCLUDE MOUNTING BOLT KIT - SEE BELOW.



Replaces this 10 MT style starter

MBK450

MOUNTING BOLT KIT REQUIRED if replacing 10MT style starters.



SW450

Replacement solenoid For **ARCO** 30460, & 30470 only!



50134

HEAVY-DUTY FITS: CHRIS CRAFT, HARMAN MARINE

Three-bolt mount (two 3/8" holes, one 5/16" threaded hole) 12 Volt, **CW Rotation**



50135

12 Volt, **CCW rotation**

Electrical Technical Manual

Published by Mechanics for Mechanics

TM001

Electrical Technical Manual



Order Your Copy Today!



© **ARCO STARTING & CHARGING SPECIALISTS**

TOLL FREE 800-722-2720 • PHONE: 850-455-5476 • FAX: 850-453-2630 • WWW.ARCOMARINE.COM

REPLACEMENT INBOARD STARTERS



Tech Tip

Rust, Corrosion or Submersions are

NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

50137

HEAVY-DUTY

FITS: CHRIS CRAFT AND OTHERS

Three-bolt mount, (two 3/8" holes, one 5/16" threaded hole)

12 Volt, CW Rotation



50138

12 Volt, CCW rotation

50141

HEAVY-DUTY

12 Volt, CCW rotation



50142

HEAVY-DUTY

FITS: CHRIS CRAFT, VOLVO PENTA V8

Two-bolt mount

12 Volt, CW rotation

50143

HEAVY-DUTY

FITS: MERCUISER 470

Threaded mounting stud in case

12 Volt, CW rotation



50160

HEAVY-DUTY

FITS: CHRIS CRAFT

Three-bolt housing

12 Volt, CW rotation



50161

HEAVY-DUTY

FITS: CHRIS CRAFT

12 Volt, CCW rotation

50169

HEAVY-DUTY

FITS: MERCUISER

888, 302, 351 FORDS

Two-bolt mount

12 Volt, CW rotation



70106

FITS: CRUSADER AND OTHERS W/FORD ENGINES

Nose extends 2" into flywheel

Two-bolt mount

12 Volt, CW rotation

Side battery terminal

70107

12 Volt, CCW rotation

Side battery terminal



SW394

Replacement solenoid

To be discontinued when present stock is exhausted.



REPLACEMENT INBOARD STARTERS

Tech Tip

Rust, Corrosion or Submersions are

NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

70108

FITS: 460 FORDS
Heavy Duty
12 Volt, CW rotation



To be discontinued
when present stock is
exhausted.

70117

FITS: MANY LATE MODEL FORDS
Mod II style;
4 1/2" diameter case
Nose extends 2 5/8"
into flywheel
Two-bolt mount
12 Volt, CW rotation
Rear battery terminal



SW394 Replacement solenoid

To be discontinued
when present stock is
exhausted.

70125 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: MANY LATE MODEL
5.0L, 5.8L FORDS
12 Volt, CW rotation



SW125

Replacement solenoid

70200 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 302, 351 FORDS
12 Volt, CW rotation
Kit includes wiring
harness to replace
conventional starter.



70201 (NEW)

HIGH PERFORMANCE
CCW ROTATION
Same as above except **CCW rotation**.



Will also replace
conventional style starter

SW125 Replacement solenoid

70212 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 460 FORD ENGINES
Replaces: O.M.C. 988013
12 Volt, CW rotation
Two-bolt mount with 3/8" x 18
threaded mounting ear.
Kit includes wiring harness
to replace conventional starter.



Will also replace
conventional style starter

SW125 Replacement solenoid



© **ARCO STARTING & CHARGING SPECIALISTS**

TOLL FREE 800-722-2720 • PHONE: 850-455-5476 • FAX: 850-453-2630 • WWW.ARCOMARINE.COM

REPLACEMENT INBOARD STARTERS



Tech Tip

Rust, Corrosion or Submersions are

NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

70216 (NEW)
HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 2.3L FORD ENGINES
Replaces: O.M.C. 988012
12 Volt, **CW** rotation
Three-bolt mount.
Kit includes wiring harness
to replace conventional starter.



SW125 Replacement solenoid



Will also replace
conventional style starter

97225 (NEW)
Gear-reduction starter
FITS: VOLVO PENTA TMD40,
TMD41, KAD42 and others.
Replaces: PARIS RHONE/VALEO
D9R116, D9R144, D11E167T
Three-bolt mount, 12 Volt, CW
rotation



SW225 Replacement solenoid

DV225 Replacement drive gear

98170
Lucas M45G starter
FITS: PERKINS 4-108VA
propulsion
13-tooth drive gear
12 volt, **CW** rotation



To be discontinued
when present stock is
exhausted.

98180 (NEW)
FITS: YANMAR
GM, GM2, GM3,
GM10, GM20/2-20F,
GM30, GMF, 1GM,
2GM, 3GM
Replaces: HITACHI S114-303,
S114-303A



98185 (NEW)
FITS: YANMAR
3JH and 4JH, engines
Replaces: HITACHI S114-483,
S114-815



10113 (NEW)
Gear-reduction starter
FITS: VOLVO PENTA
4 cyl, 6 cyl gas
Aluminum pinion housing
w/2 threaded mounting holes
Permanent magnet,
12 volt, **CW** rotation



12213 (NEW)
FITS: CUMMINS 6BT.
10-tooth drive gear
12 Volt, **CW** rotation

